



Photobiomodulation Red Light Chambers and Panels

Full-body light therapy systems for home, studio, clinic and professional wellness centers.

2026 PRODUCT CATALOGUE

ABOUT US

Wellness center operators, not an online marketing company

We founded Citizen OxyWellness, LLC in 2024, and operate today as a wellness center in Dothan, AL, offering hard-shell Hyperbaric Oxygen, Photobiomodulation Red Light, Molecular Hydrogen, and Whole-Body Vibration Therapy to the public.

Sourcing first-quality equipment at a competitive cost forced us to become experts in the pricing, features, and manufacturers behind this equipment — so we became distributors ourselves. Our relationships with manufacturers are solid and our own center's equipment has performed well.

Backed by our OEM manufacturer with nearly 20 years in the medical field and a responsive service team, we deliver reliable products and seamless support. Whether you need a proven platform or a custom solution, Citizen Oxy can tailor cutting-edge red-light designs to your requirements.

Our pricing includes shipping, and white-glove installation and training at your location on orders of items priced at \$10,000 or more — no add-ons to surprise you. Applicable taxes are additional.

Six

Chamber and panel models, from \$9,999 to \$39,999

100,000 hrs

Rated LED lifespan on 360° chamber models

2 + 5 yr

Warranty on shell and components, plus LED bulbs

THE RANGE

Six Models at a Glance

Model	Type	LEDs	Power	Circuit	Exterior	Price
CO-3325D	Standalone panel	1,408 pcs	1,250 W	15 A / 120 V	White or grey	\$9,999
CO-1400	360° chamber	13,680 pcs	1,280 W	15 A / 120 V	White or silver	\$14,999
CO-3325	Panel + bed system	1,408 + 1,584 pcs	2,700 W	15 A / 240 V	White or black	\$14,999
CO-2850	360° chamber	27,360 pcs	3,000 W	15 A / 240 V	White and black	\$19,999
CO-3300	360° chamber	32,400 pcs	4,500 W	20 A / 240 V	White or black	\$29,999
CO-4400	360° chamber	43,200 pcs	6,000 W	35 A / 240 V	White, blue or black	\$39,999

All 360° chamber models carry an acrylic panel flat bed and top, offering wavelength penetration into the body up to 2 inches, with pulsing frequency controls of wavelengths and heat therapy effects. Bluetooth music speakers and cooling fans keep the device and user cool. All dimensions are stated in L x W x H.


360° FULL-BODY CHAMBER

CO-4400

Professional Wellness Center

\$39,999

LIGHT SOURCE	Taiwan Epistar Diodes
LED QUANTITY	43,200 pcs
LED LIFESPAN	100,000 hours
POWER	6,000 W
CURRENT	35 Amp (240 V)
WAVELENGTHS	633, 660, 810, 850, 940 nm with other options
PULSING FREQUENCY	1–10,000 Hz
EXPOSURE	360° full body, 125° LED angle
CONTROL	Wireless pad, multiple connections
EXTERIOR	White, blue or black
PRODUCT SIZE	230 × 126 × 113 cm (91 × 50 × 45 in.)
WEIGHT	400 kg (882 lbs.)



360° FULL-BODY CHAMBER

CO-3300

Clinic & Small Studio

\$29,999

LIGHT SOURCE	Taiwan Epistar Diodes
LED QUANTITY	32,400 pcs
LED LIFESPAN	100,000 hours
POWER	4,500 W
CURRENT	20 Amp (240 V)
WAVELENGTHS	633, 660, 810, 850, 940 nm with other options
PULSING FREQUENCY	1–10,000 Hz
EXPOSURE	360° full body, 125° LED angle
CONTROL	Wireless pad, multiple connections
EXTERIOR	White or black
PRODUCT SIZE	230 × 126 × 113 cm (91 × 50 × 45 in.)
WEIGHT	350 kg (772 lbs.)



360° FULL-BODY CHAMBER

CO-2850

Studio & Small Clinic

\$19,999

LIGHT SOURCE	Taiwan Epistar Diodes
LED QUANTITY	27,360 pcs
LED LIFESPAN	100,000 hours
POWER	3,000 W
CURRENT	15 Amp (240 V)
WAVELENGTHS	633, 660, 810, 850 nm
PULSING FREQUENCY	1–10,000 Hz
EXPOSURE	360° full body, 125° LED angle
CONTROL	Wireless pad, multiple connections
EXTERIOR	White and black
PRODUCT SIZE	1987 × 860 × 890 mm (78 × 34 × 35 in.)
SHARED SHELL	Same exterior as CO-1400; 27,360 LEDs against 13,680



360° FULL-BODY CHAMBER

CO-1400

Home & Personal Use

\$14,999

LIGHT SOURCE	Taiwan Epistar Diodes
LED QUANTITY	13,680 pcs
LED LIFESPAN	100,000 hours
POWER	1,280 W
CURRENT	15 Amp (120 V)
WAVELENGTHS	633, 660, 810, 850 nm with other options
PULSING FREQUENCY	1–10,000 Hz
EXPOSURE	360° full body, 125° LED angle
CONTROL	Wireless pad, multiple connections
EXTERIOR	White or silver
PRODUCT SIZE	199 × 86 × 89 cm (79 × 34 × 36 in.)
WEIGHT	130 kg (287 lbs.)



PANEL & BED SYSTEM

CO-3325

Upright Panel with Companion Bed

\$14,999

LIGHT SOURCE	Taiwan Epistar Diode panel and bed modules
LED QUANTITY	Panel 1,408 pcs · Bed 1,584 pcs
LED LIFESPAN	50,000 hours
POWER	2,700 W (panel 1,250 W, bed 1,450 W)
CURRENT	15 Amp (240 V) or 2 circuits, 120 V each with 15 A breakers
WAVELENGTHS	Red 633, 660 nm · NIR 850, 940 nm
PULSING FREQUENCY	1–10,000 Hz
EXPOSURE ANGLE	120°
MODES	5 preset + 1 custom
COOLING	Panel 6 fans · Bed 8 fans
EXTERIOR	White or black
PANEL SIZE	1919 × 1045 × 1065 mm (75.5 × 41 × 42 in.), 125 kg
BED SIZE	2114 × 816 × 478 mm (83 × 32 × 19 in.), 85 kg



STANDALONE FLAT PANEL

CO-3325D

Entry Point to Full-Body Red Light

\$9,999

LIGHT SOURCE	Taiwan Epistar Diode panels
LED QUANTITY	1,408 pcs
LED LIFESPAN	50,000 hours
POWER	1,250 W
CURRENT	15 Amp (120 V)
WAVELENGTHS	Red 633, 660 nm · NIR 850, 940 nm
PULSING FREQUENCY	1–10,000 Hz
EXPOSURE ANGLE	120°
MODES	5 preset + 1 custom
COOLING	6 panel fans
EXTERIOR	White or grey
PANEL SIZE	1919 × 1045 × 1065 mm (75.5 × 41 × 42 in.), 125 kg



WHY CHOOSE US

Turnkey Solutions, Backed for the Life of the Device

Engineered End to End

Hardware, software, and process engineers deliver turnkey red light solutions — from LED printing to final assembly — with traceable processes and global compliance built in.

Intelligent & Modular

Voice and smart motor control, with optional PEMF and vibroacoustic modules. Wavelengths can be substituted — Blue 450 nm or Near-infrared 830 nm among them.

Lifetime Distributor Service

Dedicated support across installation, technical training, logistics and documentation. We service your equipment free during the warranty period, and after warranty at our standard rates.

Price-Match Guarantee

We will beat any verified price. Curbside freight shipping is included in the continental USA, with white-glove delivery, assembly and training on orders over \$10,000 in total devices cost, excluding taxes.

Every 360° chamber ships with five preset working modes — muscle recovery, weight loss, collagen boost, pain relief and intelligent mode — plus five interface languages, and passes electrical leakage, resistance calibration, hipot, temperature, EMF and irradiance testing before shipment.

BUILD QUALITY

Quality Components and Spare Parts

Epistar Chips

14mil Epistar chips with high luminous efficiency and a service life up to 100,000 hours.

Gold Wire Bonding

99.99% pure gold wire bonding packaging, with high thermal conductivity to dissipate heat from the chip and extend LED service life.

Automated Quality Control

Auto QC during LED chip and panel printing removes wavelength-out-of-tolerance chips before assembly.

Aging Testing

Every LED array is aged and tested prior to machine assembly, so failures surface in the factory rather than in your facility.

Triple Electrical Safeguards

Modular structure with high-efficiency DC conversion, an external isolation chamber, short-circuit protection and ground wiring protection.

Warranty Coverage

Two-year warranty on shell and components, five-year warranty on LED bulbs, with 24-hour technical support.



Let Us Enlighten Your Life

COMPANY	Citizen OxyWellness, LLC
ADDRESS	2323 West Main St. Suite 105, Dothan, AL 36301
TELEPHONE	334-699-1414
EMAIL	Info@citizenoxywellness.com
WEBSITE	citizenoxy.com
HOURS	Mon–Fri, 10am–8pm CST

All dimensions are stated in L x W x H. Equipment on this catalogue is sold for non-medical, general wellness use. It is not intended to diagnose, treat, cure, or prevent any disease. Statements have not been evaluated by the FDA. Always consult a qualified healthcare provider before starting any new wellness therapy.